

Zintrac

APPLICATION RATES AND TIMINGS

Apples: 1 pint/acre at bud burst to ½ inch green tip. Apply again after harvest but before leaf senescence. Water rate: 50 to 100 gallons/acre.

Apricots, Cherries, Nectarines, Peaches, Plums: 1 pint to 1 quart/acre applied at winter bud or pink bud and again after harvest but before leaf senescence. Water rate: 50 to 100 gallons/acre.

Beans*, Peas, Soybeans*: 1 pint/acre when crop is 2 to 6 inches tall. Water rate: 20 gallons/acre.

Blueberries (High Bush Only): Apply 1 pint/acre just before onset of leaf drop. Repeat the application at bud separation the following fruiting season. Water rate: 20 gallons/acre.

Carrots: 1 pint/acre when crop is 6 inches tall. For moderate to severe deficiency repeat applications at 10 to 14 day intervals. Water rate: 20 gallons/acre.

Cereals*: 1 pint/acre from 2 leaf stage to first node detectable (Zadok's G.S. 12 to 31). Water rate: 20 gallons/acre.

Citrus: 1 pint/acre applied during spring flush and again during autumn flush. Water rate: 50 to 100 gallons/acre.

Cole Crops, Broccoli, Brussel Sprouts, Cabbage, Cauliflower: 1 pint/acre at the 4 to 9 leaf stage. Water rate: 20 gallons/acre.

Conifers: 2 applications of 1 pint/acre once there is new season leaf production and again in early autumn. Water rate: 50 to 100 gallons/acre.

Corn*, Sorghum: 1 pint/acre from 3 to 8 leaf stage. For severe deficiency repeat applications should be made at the above rate at 10 to 14 day intervals. Water rate: 20 gallons/acre.

Cotton: 1 pint/acre 3 to 4 weeks after emergence. Repeat as required with 10 to 14 days between treatments. Water rate: 15 gallons/acre.

Cucurbits*, Melon (Field Grown): 1 pint/acre at the 2 to 4 leaf stage. Repeat at 10 to 14 days intervals if necessary. Water rate: 20 gallons/acre.

Dry Bean: ½ to 1 pint/acre when crop is 2 to 6 inches tall. Water rate: 5 to 20 gallons/acre.

Lettuce (Field Grown): 1 pint/acre when crop is 6 inches tall. Repeat application at 10-14 day intervals if necessary. Water rate: 20 gallons/acre.

Nuts (Deciduous): 1 quart/acre applied during dormancy or early bud burst and again after harvest but before leaf senescence. Water rate: 50 to 100 gallons/acre.

Onions*: 1 pint/acre when sufficient leaf area to intercept spray. Water rate: 20 gallons/acre.

Peas: 1 pint to 1 quart/acre at bud burst. For moderate to severe deficiency repeat application at the same rate at a 10 to 14 day interval. Avoid flowering. Apply again after harvest but before leaf senescence. Water rate: 50 to 100 gallons/acre.

Potatoes*: 1 pint/acre one week after 100% emergence. For moderate to severe deficiency, repeat applications may be necessary at 10 to 14 day intervals. Water rate: 20 gallons/acre.

Strawberries (Field Grown): One application of ½ pint/acre at green bud followed by two applications of ¼ pint/acre applied at white bud and post-harvest regrowth. Water rate: 50 gallons/acre.

Tomatoes* (Field Grown): 1 pint/acre when plants are at 4 to 6 leaf stage. Water rate: 50 gallons/acre.

Vines: 1 pint/acre applied at flower buds visible and again at flower buds separated or at fruit set. Water rate: 50 to 100 gallons/acre.

*** For use in Wisconsin:** Zintrac can be applied to this crop in Wisconsin requiring a medium to high level of zinc.

DIRECTIONS FOR USE

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS.

Mix the product thoroughly before use. Pour through the top filter into the tank three-quarters filled with water, while agitating. Top up with water and continue to agitate until spraying is completed.

Extended recommendations available
www.yaravita.com/usinfo

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use and advice regarding whether or not product(s) should be co-applied. Many variables, outside the control of Yara, can influence the performance of co-applied products and therefore co-application is entirely at the risk of the end-user. It is strongly recommended that a limited application is made initially when using unfamiliar product mixes. *Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact YARA NORTH AMERICA for specific advice.*

PRECAUTIONS

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and faceshield when handling this product. Clean all equipment before and after use.

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. *Protect from frost (39°F) and other climatic extremes. (temperatures exceeding 100°F)*

CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

The directions on this label are believed to be reliable and should be followed carefully. Insufficient remedy of nutritional problems on the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions, the failure to follow the label directions, or good application practices, all of which are beyond the control of Yara or the seller. In addition, failure to follow label directions may cause injury to other crops, animals, man or the environment. Yara warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in these directions for use subject to the factors noted above which are beyond the control of Yara. Yara makes no other warranties or representations of any kind, express or implied, concerning the product, including **no implied warranty of merchantability or fitness for any particular purpose** and no such warranty shall be implied by law. The exclusive remedy against Yara for any cause of action relating to the handling or use of this product is a claim for damage and in no event shall damages or any other recovery of any kind against Yara exceed the price of the product which causes the alleged loss, damage, injury, or other claim. Yara shall not be liable and any and all claims against Yara are waived, for special, indirect, incidental, or consequential damages or expenses, of any nature, including, but not limited to, loss of profits or income, whether or not based on Yara's negligence, breach of warranty, strict liability in tort or any other cause of action. Yara and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.