

Stopit

APPLICATION RATES AND TIMINGS

Apple*: Regular applications of 4 quarts/acre at 7 to 14 day intervals from petal fall to one week before harvest. Water rate: 50 gallons/acre.

Apricot, Cherry, Nectarines, Peach, Plum: 2 applications of 4 quarts/acre applied 4 weeks and 2 weeks before harvest. Water rate: 50 gallons/acre.

Cole Crops, Broccoli, Brussel Sprouts, Cabbage, Calabrese, Cauliflower: 2 to 3 applications of 2 quarts/acre from stem extension/head development to harvest. Allow 10 to 14 day intervals between applications.

Water rate: 20 gallons/acre.

Carrots: 2 to 3 applications of 2 quarts/acre from when the crop is 4 to 6 inches tall. Allow 10 to 14 day intervals between applications.

Water rate: 20 gallons/acre.

Citrus: 3 applications of 4 quarts/acre applied during the period from fruit expansion to harvest. Allow 10 to 14 day intervals between applications.

Water rate: 50 to 100 gallons/acre.

Cucurbits (Field Growth): 2 to 3 applications of 2 quarts/acre commencing at first set with 7 day intervals between applications. Water rate: 20 gallons/acre.

Garlic: ½ to 1 gallon/acre at bulb swelling. Repeat applications at 7 to 14 day intervals as necessary. Water rate: 5 to 20 gallons/acre.

Lettuce (Field Growth): 2 to 3 applications of 2 quarts/acre commencing 10 to 14 days after transplanting or emergence with 10 to 14 day intervals between applications. Water rate: 50 gallons/acre.

Ornamentals: 3 pints/acre as soon as there is sufficient leaf area to intercept a spray. Repeat at 10 to 14 day intervals as necessary. Avoid applications during flowering. Spray a maximum of three applications per crop per annum.

Water rate: 10 to 20 gallons/acre.

Onion: 2 to 4 quarts/acre at bulb swelling. Repeat applications at 7 to 14 day intervals as necessary. Water rate: 20 gallons/acre.

Peas: 2 to 3 applications of 4 quarts/acre at 10 to 14 day intervals timed so that the final application is made one week before harvest.

Water rate: 50 gallons/acre.

Pepper (Field Growth): One to four applications of 2 quarts/acre from flowering on second truss onwards. Water rate: 50 gallons/acre.

Potatoes*: 2 to 3 applications of 2 to 4 quarts/acre commencing at tuber initiation (when 50% of the tip swellings are twice the diameter of the rest of the stolon) and following petiole analysis during tuber bulking with 10 to 14 day intervals between applications. Water rate: 20 gallons/acre.

Small grains: 2 quarts/acre. Apply from 4 leaves to second node detectable. (Zadok's G, S, 14 to 32). Water rate: 20 gallons/acre.

Strawberry* (Field Growth): Non-everbearing varieties: 3 applications of 4 quarts/acre from start of flowering. Repeat applications at 7 to 10 intervals. Water rate: 50 gallons/acre. Everbearing varieties: Divide a total rate of 12 quarts/acre into 6 applications of 2 quarts/acre. Do not apply successive applications at intervals of less than 10 to 14 days. Water rate: 50 gallons/acre.

Tomato (Field Growth): Applications of 2 quarts/acre commencing from flowering on second truss. Allow 7 days between applications.

Water rate: 50 gallons/acre.

Vines: 4 quarts/acre repeated applications at 10 to 14 day intervals from start of colouring. Water rate: 50 gallons/acre.

***Wisconsin**: Stopit can be applied to this crop in Wisconsin where supplemental calcium has been shown to be of benefit to plant storage organs and where soil test calcium is low. Also on crops where supplemental calcium has been shown to improve the resistance to disease.

DIRECTIONS FOR USE

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS.

Mix the product thoroughly before use. Pour through the top filter into the tank three-quarters filled with water, while agitating. Top up with water and continue to agitate until spraying is completed.

Extended recommendations available
www.yaravita.com/usinfo

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use and advice regarding whether or not product(s) should be co-applied. Many variables, outside the control of Yara, can influence the performance of co-applied products and therefore co-application is entirely at the risk of the end-user. It is strongly recommended that a limited application is made initially when using unfamiliar product mixes. *Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact YARA NORTH AMERICA for specific advice.*

PRECAUTIONS

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and faceshield when handling this product. Clean all equipment before and after use.

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. *Protect from frost (39°F) and other climatic extremes. (temperatures exceeding 100°F)*

CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

The directions on this label are believed to be reliable and should be followed carefully. Insufficient remedy of nutritional problems on the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions, the failure to follow the label directions, or good application practices, all of which are beyond the control of Yara or the seller. In addition, failure to follow label directions may cause injury to other crops, animals, man or the environment. Yara warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in these directions for use subject to the factors noted above which are beyond the control of Yara. Yara makes no other warranties or representations of any kind, express or implied, concerning the product, including **no implied warranty of merchantability or fitness for any particular purpose** and no such warranty shall be implied by law. The exclusive remedy against Yara for any cause of action relating to the handling or use of this product is a claim for damage and in no event shall damages or any other recovery of any kind against Yara exceed the price of the product which causes the alleged loss, damage, injury, or other claim. Yara shall not be liable and any and all claims against Yara are waived, for special, indirect, incidental, or consequential damages or expenses, of any nature, including, but not limited to, loss of profits or income, whether or not based on Yara's negligence, breach of warranty, strict liability in tort or any other cause of action. Yara and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.